

AK 2T SMOKELESS JASO TC

DESCRIPTION:

AUTOKING 2T SMOKELESS JASO TC oil is superior smokeless product developed from highly refined base oil and appropriate additives for excellent lubricating and provides easy mixing with fuel. These product minimize spark plus fouling & preignition, prevent rusting and provide protection against scuffing, seizure and wear.

APPLICATION:

AUTOKING SMOKELESS JASO TC oil specially developed premium quality for 2 stroke air cooled gasoline engine used in scooters, motorcycles, mopeds, three wheelers etc. and small equipment such as sprayers, pumps, generators.

PERFORMANCE LEVEL:

IS 14234:2002

PERFORMANCE

- Better overall protection against deposition.
- Good engine cleanliness.
- Reliable and consistent performance.

BENEFITS:

- Environmental friendly with very low visible smoke emission.
- Sludge control of parts completely in piston cylinder assembly.
- Longer engine life because of excellent lubrication.

TYPICAL PROPERTIES:

CHARACTERISTICS	AK 2T SMOKELESS JASO TC
Appearance	Clear liquid
Color	Yellow
Density@25°c	0.84-0.87
Kinetic viscosity@ 40°c, cst	60-70
Kinetic viscosity@ 100°c, cst	7-8
Flash point, coc	100 - 130
Pour point .C max.	-18

HEALTHY, SAFETY &ENVIRONMENT: - Auto king oil are unlikely to present any significant health or safety hazard when properly used in the recommended application and good standard of industrial and personal hygiene are maintained. For more details, contact STERLITE INDIA REPRESENTATIVES.

STERLITE LUBRICANTS PVT. LTD.
Corporate Headquarters
65-Second Floor, 4D SQUARE,
Visat-Ghandhinagar Highway,
Motera, Ahmedabad 380005
079-66172662 | www.sterlitelubricants.com
Make in India | All rights reserved.

©2005 Sterlite Lubricants Pvt. Ltd.

Disclaimer

"Autoking" and "Oils by an Indian" are intended and authorized for use only in countries and jurisdiction in which Autoking has obtained the rights to use, market and advertise the brand. Autoking shall not be liable to third parties for unauthorized use of this document or unauthorized use of its trademarks. References in this publication to Autoking products or services do not imply that Autoking intends to make these available in all countries in which it operates. Contact SLPL for more information or mail to info@sterlitelubricants.com.

PRODUCT DATA SHEET



STERLITE LUBRICANTS PVT. LTD.
Corporate Headquarters
65-Second Floor, 4D SQUARE,
Visat-Ghandhinagar Highway,
Motera, Ahmedabad 380005
079-66172662 | www.sterlitelubricants.com
Make in India | All rights reserved.

©2005 Sterlite Lubricants Pvt. Ltd.

Disclaimer

"Autoking" and "Oils by an Indian" are intended and authorized for use only in countries and jurisdiction in which Autoking has obtained the rights to use, market and advertise the brand. Autoking shall not be liable to third parties for unauthorized use of this document or unauthorized use of its trademarks. References in this publication to Autoking products or services do not imply that Autoking intends to make these available in all countries in which it operates. Contact SLPL for more information or mail to info@sterlitelubricants.com.

PRODUCT DATA SHEET



STERLITE LUBRICANTS PVT. LTD.
Corporate Headquarters
65-Second Floor, 4D SQUARE,
Visat-Ghandhinagar Highway,
Motera, Ahmedabad 380005
079-66172662 | www.sterlitelubricants.com
Make in India | All rights reserved.

©2005 Sterlite Lubricants Pvt. Ltd.

Disclaimer

"Autoking" and "Oils by an Indian" are intended and authorized for use only in countries and jurisdiction in which Autoking has obtained the rights to use, market and advertise the brand. Autoking shall not be liable to third parties for unauthorized use of this document or unauthorized use of its trademarks. References in this publication to Autoking products or services do not imply that Autoking intends to make these available in all countries in which it operates. Contact SLPL for more information or mail to info@sterlitelubricants.com.