

AK MAC 350 5W 40 API SN

DESCRIPTION:

AUTOKING MAC 350 5W 40 is a premium quality fully synthetic heavy duty engine oil made from ester oil and appropriate additives for modern cars, light trucks, performance vehicles and marine application. It is high-tech hydrocracked engine oil that protect against friction, heat and corrosion. It is also provides excellent engine wear protection and heat tolerance and reduce carbon and sludge buildup even under severe driving conditions.

PERFORMANCE LEVEL:

- API SN, FORD WSS M2C 917 A, BMW LL-04.
- ACEA A3/B4, MB 229.5 RENAULT RN 0710 / RN 0700.

PERFORMANCE

Maintaining system efficiency

APPLICATION:

- Specially recommended for luxury segment class of cars & SUV's.
- Popular in turbocharged applications.
- Extra premium 100% synthetic high performance diesel and petrol engine oil.

BENEFITS:

- For improved temperature deposit protection in pistons, more stringent sludge control and seal compatibility = Longer Engine Life.
- For outstanding detergent/dispersant power and enhanced viscosity retention due to soot produced by direct injection diesel engines.

TYPICAL PROPERTIES:

CHARACTERISTICS	AK MAC 350 5W 40 API SN
Appearance	Clear Liquid
Density 15°C	0.85-0.88
K. Viscosity cst @ 40°C	90-105
K. Viscosity cst @ 100°C	14-16
Viscosity index,	160-170
Pour Point," C,	-21°c
Flash Point, coc, °C	>220°C
TBN, Mg KOH/gm.	9-11
Ash Contents	1.0 Max.

STERLITE LUBRICANTS PVT. LTD.
Corporate Headquarters
65-Second Floor, 4D SQUARE,
Visat-Ghandhinagar Highway,
Motera, Ahmedabad 380005
079-66172662 | www.sterlitelubricants.com
Make in India | All rights reserved.

©2005 Sterlite Lubricants Pvt. Ltd.

Disclaimer

"Autoking" and "Oils by an Indian" are intended and authorized for use only in countries and jurisdiction in which Autoking has obtained the rights to use, market and advertise the brand. Autoking shall not be liable to third parties for unauthorized use of this document or unauthorized use of its trademarks. References in this publication to Autoking products or services do not imply that Autoking intends to make these available in all countries in which it operates. Contact SLPL for more information or mail to info@sterlitelubricants.com.

PRODUCT DATA SHEET



HEALTHY, SAFETY &ENVIRONMENT:- Auto king oil are unlikely to present any significant health or safety hazard when properly used in the recommended application and good standard of industrial and personal hygiene are maintained. For more details contact STERLITE INDIA REPRESENTATIVES.

STERLITE LUBRICANTS PVT. LTD.
Corporate Headquarters
65-Second Floor, 4D SQUARE,
Visat-Ghandhinagar Highway,
Motera, Ahmedabad 380005
079-66172662 | www.sterlitelubricants.com
Make in India | All rights reserved.

©2005 Sterlite Lubricants Pvt. Ltd.

Disclaimer

"Autoking" and "Oils by an Indian" are intended and authorized for use only in countries and jurisdiction in which Autoking has obtained the rights to use, market and advertise the brand. Autoking shall not be liable to third parties for unauthorized use of this document or unauthorized use of its trademarks. References in this publication to Autoking products or services do not imply that Autoking intends to make these available in all countries in which it operates. Contact SLPL for more information or mail to info@sterlitelubricants.com.

PRODUCT DATA SHEET



STERLITE LUBRICANTS PVT. LTD.
Corporate Headquarters
65-Second Floor, 4D SQUARE,
Visat-Ghandhinagar Highway,
Motera, Ahmedabad 380005
079-66172662 | www.sterlitelubricants.com
Make in India | All rights reserved.

©2005 Sterlite Lubricants Pvt. Ltd.

Disclaimer

"Autoking" and "Oils by an Indian" are intended and authorized for use only in countries and jurisdiction in which Autoking has obtained the rights to use, market and advertise the brand. Autoking shall not be liable to third parties for unauthorized use of this document or unauthorized use of its trademarks. References in this publication to Autoking products or services do not imply that Autoking intends to make these available in all countries in which it operates. Contact SLPL for more information or mail to info@sterlitelubricants.com.