



AK PUMPSET 20W 40

DESCRIPTION:

AUTOKING PUMPSET 20W 40 heavy duty engine oil is mineral base oil offering a high level of performance and meeting all the requirements.

AUTOKING PUMPSET 20W 40 oil is blend from high quality base oil and detergent-dispersant, oxidation and corrosion inhibitors, anti-wear and anti-form additive.

APPLICATION:

AUTOKING PUMPSET 20W 40 is best recommended for use in Gasoline and diesel engine for high performance level motor oil is specified. Applicable for HEMMS, BEML JCB, Escorts etc.

PERFORMANCE LEVEL:

- API SF/CF, IS;13656-2014 SPECIFICATION.
- US MILITARY MIL-L-2104B, E-PL2 / E-PL2.

PERFORMANCE

- Protect engine from rust and wear.
- Offer better fuel efficiency.
- Higher levels of engine cleanliness.

BENEFITS:

- Lower oil consumption, increased power and performance.
- Longer operating period between oil drain.
- Excellent performance in "All weather" Conditions.
- Excellent engine cleanliness.

TYPICAL PROPERTIES:

CHARACTERISTICS	AK PUMPSET 20W 40
Color	Red
Kinematic Viscosity, cSt @ 40° C	120-130
Kinematic Viscosity, cSt @ 100° C	14-15
Viscosity index	110
Flash point	220'c
Pour Point, °C, Max.	-18'c
TBN	5.0 – 6.0
Sulphated Ash % Max.	0.77 %

HEALTHY, SAFETY & ENVIRONMENT: - Auto king oil are unlikely to present any significant health or safety hazard when properly used in the recommended application and good standard of industrial and personal hygiene are maintained. For more details, contact STERLITE INDIA REPRESENTATIVES.



STERLITE LUBRICANTS PVT. LTD.
Corporate Headquarters
65-Second Floor, 4D SQUARE,
Visat-Gandhinagar Highway,
Motera, Ahmedabad 380005
079-66172662 | www.sterlitolubricants.com
Make in India | All rights reserved.

©2005 Sterlite Lubricants Pvt. Ltd.

Disclaimer

"Autoking" and "Oils by an Indian" are intended and authorized for use only in countries and jurisdiction in which Autoking has obtained the rights to use, market and advertise the brand. Autoking shall not be liable to third parties for unauthorized use of this document or unauthorized use of its trademarks. References in this publication to Autoking products or services do not imply that Autoking intends to make these available in all countries in which it operates. Contact SLPL for more information or mail to info@sterlitolubricants.com.

PRODUCT DATA SHEET



Oils by an Indian

STERLITE LUBRICANTS PVT. LTD.
Corporate Headquarters
65-Second Floor, 4D SQUARE,
Visat-Gandhinagar Highway,
Motera, Ahmedabad 380005
079-66172662 | www.sterlitolubricants.com
Make in India | All rights reserved.

©2005 Sterlite Lubricants Pvt. Ltd.

Disclaimer

"Autoking" and "Oils by an Indian" are intended and authorized for use only in countries and jurisdiction in which Autoking has obtained the rights to use, market and advertise the brand. Autoking shall not be liable to third parties for unauthorized use of this document or unauthorized use of its trademarks. References in this publication to Autoking products or services do not imply that Autoking intends to make these available in all countries in which it operates. Contact SLPL for more information or mail to info@sterlitolubricants.com.