



## AK ROBUST 4T 10W 40 API SN

### DESCRIPTION:

AUTOKING ROBUST 4T 10W 40 is a synthetic, high performance engine oil designed for use in Modern Motorbike engine. It is offered excellent performance and fuel economy. AUTOKING ROBUST 10W 40 oil keep the engine as good as new and provides ultimate protection and performance in an Modern Motorbikes.

### APPLICATION:

- Technosynthese & Ester Technology.
- Specially recommended for new generation motor engine oil.
- Also for, heavy turbo nitro charged booster engines used in motor racing.

### PERFORMANCE LEVEL:

- API SN, ACEA A1/B1 OR A5/B5, ILSAC GF-4,
- IS 13656-2002

### PERFORMANCE

- API SG/SJ/SH/SL/ILSAC GF-4

### BENEFITS:

- Excellent performance under extreme cold start up condition.
- Maximize Horse power and pick up with rise RPM.
- Better oxidation and thermal stability
- Provide protection during critical period.

### TYPICAL PROPERTIES:

CHARACTERISTICS	AK ROBUST 4T 10W 40 API SN
Color	YELLOW
Density 15°C	0.85-0.88
K. Viscosity cst @ 40°C	90-105
K. Viscosity cst @ 100°C	12.5-15.5
Viscosity index,	160
Pour Point, °C,	-21°C
Flash Point, coc, °C	220°C
TBN, Mg KOH/gm.	10-12
Ash Contents	1.0 Max.

**HEALTHY, SAFETY & ENVIRONMENT:** - Auto king oil are unlikely to present any significant health or safety hazard when properly used in the recommended application and good standard of industrial and personal hygiene are maintained. For more details, contact STERLITE INDIA REPRESENTATIVES.

## PRODUCT DATA SHEET



*Oils by an Indian*

STERLITE LUBRICANTS PVT. LTD.  
Corporate Headquarters  
65-Second Floor, 4D SQUARE,  
Visat-Gandhinagar Highway,  
Motera, Ahmedabad 380005  
079-66172662 | [www.sterlitolubricants.com](http://www.sterlitolubricants.com)  
Make in India | All rights reserved.

©2005 Sterlite Lubricants Pvt. Ltd.

### Disclaimer

"Autoking" and "Oils by an Indian" are intended and authorized for use only in countries and jurisdiction in which Autoking has obtained the rights to use, market and advertise the brand. Autoking shall not be liable to third parties for unauthorized use of this document or unauthorized use of its trademarks. References in this publication to Autoking products or services do not imply that Autoking intends to make these available in all countries in which it operates. Contact SLPL for more information or mail to [info@sterlitolubricants.com](mailto:info@sterlitolubricants.com).